## **IIIBioSpan**

### CR-3600 corrosion protectant and

concrete release agent

## SAFETY DATA SHEET (SDS)

DATE: 11/2024

#### SECTION ONE - PRODUCT IDENTIFICATION

PRODUCT NAME: BioSpan CR-3600 CORROSION PROTECTANT

DESCRIPTION: Non-toxic, Biodegradable Corrosion Protectant

SYNONYMS: Corrosion Inhibitor

SDS CR3600 #01

GENERAL PRODUCT USE: Corrosion Protectant

APPEARANCE AND ODOR: pale yellow, clear to slightly hazy, SWEET ORANGE FRAGRANCE

SUPPLIERS NAME: BIOSPAN TECHNOLOGIES, INC.

6540 MEYER DRIVE, WASHINGTON, MISSOURI 63090

SUPPLIERS PHONE NUMBER: (636) 583-7974

TRANSPORTATION EMERGENCY PHONE NUMBER: CHEMTEC NUMBER (800) 262-8200

S.A.R.A. INFORMATION

HAZARDS: FIRE: YES PRESSURE: NO REACTIVITY: NO ACUTE: NO CHRONIC: NO

PHYSICAL DATA: MIXTURE: YES PURE: NO SOLID: NO LIQUID: YES GAS: NO

#### SECTION TWO - HAZARDS IDENTIFICATION

NONE

#### SECTION THREE - COMPOSTION / INFORMATION ON INGREDIENTS

CHEMICAL NAME: N / A APPROXIMATE WEIGHT % NONE

ALL MATERIALS ARE CLASSIFIED NON-TOXIC

## IllBioSpan

#### SECTION FOUR - FIRST AID MEASURES

PRIMARY ROUTES OF ENTRY

SKIN CONTACT X INHALATION X EYE CONTACT X INGESTION

EMERGENCY AND FIRST AID PROCEDURES:

<u>Eyes:</u> Flush eyes with large amounts of running water for at least 15 minutes. If irritation persists, contact a doctor. <u>Skin:</u> Wash with large amounts of running water, and soap. Remove contaminated clothing and wash before wearing again. <u>Ingestion:</u> If swallowed, immediately drink milk or water and contact a doctor immediately. <u>Inhalation:</u> Remove from area to fresh air.

ODOR THRESHOLDS: None

HEALTH HAZARDS (ACUTE AND CHRONIC): SIGNS AND SYMPTOMS OF OVEREXPOSURE: Eyes -irritation from direct contact. Prolonged contact with membranes of mouth, esophagus & stomach may cause irritation and dermatitis due to defatting of the skin. Inhalation - May cause respiratory irritation and coughing. Ingestion -Harmful if swallowed.

CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE: Persons with pre-existing skin disorders may be more susceptible to irritating effects. Persons with pre-existing lung disorders may be more susceptible to irritating effects. CARCINOGENICITY: None

#### SECTION FIVE - FIREFIGHTING MEASURES

REACTIVITY WITH WATER: NONE UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE AUTO IGNITION TEMPERATURE: NONE UPPER EXPLOSION LIMIT (%): NOT KNOWN EXTINGUISHING MEDIA: CARBON DIOXIDE, DRY CHEMICAL OR UNIVERSAL-TYPE FOAM THERMAL DECOMPOSITION PRODUCTS: Burning of material may release carbon dioxide, carbon monoxide SPECIAL FIRE FIGHTING PROCEDURES: WEAR SELF-CONTAINED BREATHING APPARATUS, AND COMPLETE PROTECTIVE CLOTHING

#### SECTION SIX - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Floors may become slippery. Use protective equipment stated in Section Eight. Contain liquid spills using a barrier of inert material such as sand or by diking the area. Absorb spilled liquids using inert material. Scoop or shovel absorbed material or spilled solids into containers. Avoid creating a dust during transfer of solids. Wash area with soap and water.

WASTE DISPOSAL METHODS: Incinerate, bury in an approved manner or dispose of in accordance with pertinent federal, state, or local regulations.

#### SECTION SEVEN - HANDLING AND STORAGE

PRECAUTIONS FOR STORAGE AND HANDLING: Store in dry, and well-ventilated area. Keep containers closed. Do not enter storage area unless area is adequately ventilated. Avoid excessive heat.

WORK/HYGIENIC PRACTICES: Wash thoroughly after handling. Wash contaminated clothes before reuse. Launder work clothes. Check protective clothing, particularly impervious gloves, for leaks before use.

# IlBioSpan

www.biospantech.com | Tel: (800) 730 8980

#### SECTION EIGHT - EXPOSURE CONTROLS / PERSONAL PROTECTION

PROTECTIVE EQUIPMENT: Goggles, impervious or chemical resistant gloves, and impervious clothing to prevent skin contact. RESPIRATORY PROTECTION: In well-ventilated areas protection is not normally required Other Protective Equipment: eye wash station and safety shower should be easily accessible

#### SECTION NINE - PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: 386° - 390°F VAPOR DENSITY: LIQUID PERCENT VOLATILE (BY WEIGHT): N / A VAPOR PRESSURE: 0.93 MM @ 20° C SOLUBILITY IN WATER: MISCIBLE SPECIFIC GRAVITY: 0.871 (H<sub>2</sub>O = 1.0) AUTO IGNITION TEMPERATURE: N / A pH: 5.6 – 5.8 FLASH POINT: 211°F+ TAG CLOSED CUP LOWER EXPLOSION LIMIT %: NOT KNOWN UPPER EXPLOSION LIMIT: NOT KNOWN UPPER EXPLOSION LIMIT: NOT KNOWN EXTINGUISHING MEDIA: CARBON DIOXIDE, DRY CHEMICAL OR UNIVERSAL-TYPE FOAM THERMAL DECOMPOSITION PRODUCTS: Burning of material may release carbon dioxide, carbon monoxide

#### SECTION TEN - STABILITY AND REACTIVITY

STABILITY: STABLE X UNSTABLE SENSITIVITY TO STATIC DISCHARGE: None REACTION DECOMPOSITION PRODUCTS: None CONDITIONS TO AVOID: Avoid heat, open flame

REACTIVITY WITH WATER: None

HAZARDOUS POLYMERIZATION MAY WILL NOT OCCUR OCCUR X <u>CONDITIONS TO AVOID</u> strong alkalis and oxidizing agents

#### SECTION ELEVEN - TOXICOLOGICAL INFORMATION

N/A

#### SECTION TWELVE - ECOLOGICIAL INFORMATION

N/A

#### SECTION THIRTEEN - DISPOSAL CONSIDERATIONS

N/A

#### SECTION FOURTEEN - TRANSPORT INFORMATION

N/A

## IlBioSpan

#### SECTION FIFTEEN - REGULATORY INFORMATION

CERLA-SARA CLASSIFICATION(S): Ingredients present in products that may require reporting under Section 311-312 of SARA title III as defined in: 40 CFR 372: EXTREMELY HAZARDOUS SUBSTANCES: NONE 40 CFR 372: Fire Hazard Section 313 of SARA title III as defined in 40 CFR 372: Toxic Chemicals: NONE

CLEAN AIR ACT, OZONE DEPLETING SUBSTANCES:

This product does not contain nor was it manufactured with Class I or Class II ozone depleting substances as defined by the Clean Air Act Amendments of 1990.

#### SECTION SIXTEEN - OTHER INFORMATION

Hazardous ratings (0=minimal, 1=slight, 2=moderate, 3= serious, 4= severe)

HMIS RATINGS: Health = 1, Flammability = 1 Reactivity = 0 Personal Protective Equipment = G, eye protection

NFPA: Health =1, Flammability=1, reactivity=0

EXPOSURE LIMITS: (N.E. = None Established)

PREPARED BY: S.R. Chesky, BioSpan Technologies, Inc. 11/2024