IIIBioSpan



CNEW SAFETY DATA SHEET (SDS)

DATE: 02/2025

SECTION ONE – PRODUCT IDENTIFICATION

PRODUCT NAME: C-New Concrete Cleaner DESCRIPTION: Non-toxic biodegradable cleaner for concrete surfaces SYNONYMS: Concrete Surface cleaner SDS C-New 01 GENERAL PRODUCT USE: Concrete surface cleaning / degreasing APPEARANCE AND ODOR: Light violet amber, hazy, mild sweet orange fragrance SUPPLIERS NAME: **BIOSPAN TECHNOLOGIES, INC.** 6540 MEYER DRIVE, WASHINGTON, MISSOURI 63090 SUPPLIERS PHONE NUMBER: (636) 583-7974 TRANSPORTATION EMERGENCY PHONE NUMBER: CHEMTEC NUMBER (800) 262-8200 S.A.R.A. INFORMATION

HAZARDS: FIRE: NO PRESSURE: NO REACTIVITY: NO ACUTE: NO CHRONIC: NO

PHYSICAL DATA: MIXTURE: YES PURE: NO SOLID: NO LIQUID: YES GAS: NO

SECTION TWO – HAZARDS IDENTIFICATION

NONE

SECTION THREE - COMPOSITION / INFORMATION ON INGREDIENTS

CHEMICAL NAM	I <u>E:</u>
N/A	

APPROXIMATE WEIGHT % NONE

ALL MATERIALS ARE CLASSIFIED NON-TOXIC

BioSpan Technologies, Inc. 6540 Meyer Drive Washington, Missouri 63090 Tel (636) 583-7974 Fax (636) 583-1773 P.O Box 4222 Ballwin, MO 63022



SECTION FOUR - FIRST AID MEASURES

PRIMARY ROUTES OF ENTRY

SKIN CONTACT X INHALATION X EYE CONTACT X INGESTION

EMERGENCY AND FIRST AID PROCEDURES:

Eves: Flush eyes with large amounts of running water for at least 15 minutes. If irritation persists, contact a doctor. Skin: Wash with large amounts of running water, and soap. Remove contaminated clothing and wash before wearing again. Ingestion: If swallowed, immediately drink milk or water and contact a doctor immediately. Inhalation: Remove from area to fresh air. ODOR THRESHOLDS: None

HEALTH HAZARDS (ACUTE AND CHRONIC): SIGNS AND SYMPTOMS OF OVEREXPOSURE: Eyes – irritation from direct contact. Prolonged contact with membranes of mouth, esophagus & stomach may cause irritation and dermatitis due to deflating of the skin. Inhalation – may cause respiratory irritation and coughing. Ingestion – harmful if swallowed.

CONDITIONS GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE: Persons with pre-existing skin disorders may be more susceptible to irritating effects. Persons with pre-existing lung disorders may be more susceptible to irritating effects. CARCINOGENICITY: None

SECTION FIVE - FIREFIGHTING MEASURES

REACTIVITY WITH WATER: NONE

UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE

UPPER EXPLOSION LIMIT (%): NOT KNOWN

EXTINGUISHING MEDIA: CARBON DIOXIDE, DRY CHEMICAL OR UNIVERSAL-TYPE FOAM

THERMAL DECOMPOSITION PRODUCTS: Burning of material may release carbon dioxide, carbon monoxide

SPECIAL FIRE FIGHTING PROCEDURES: WEAR SELF-CONTAINED BREATHING APPARATUS, AND COMPLETE PROTECTIVE CLOTHING

SECTION SIX - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Floors may become slippery. Use protective equipment stated in Section Eight. Contain liquid spills using a barrier of inert material such as sand or by diking the area. Absorb spilled liquids using inert material. Scoop or shovel absorbed material or spilled solids into containers. Avoid creating a dust during transfer of solids. Wash area with soap and water.

WASTE DISPOSAL METHODS: Incinerate, bury in an approved manner or dispose of in accordance with pertinent federal, state, or local regulations.

SECTION SEVEN - HANDLING AND STORAGE

PRECAUTIONS FOR STORAGE AND HANDLING: Store in dry, and well-ventilated area. Keep containers closed. Do not enter storage area unless area is adequately ventilated.

WORK/HYGIENIC PRACTICES: Wash thoroughly after handling. Wash contaminated clothes before reuse. Launder work clothes. Check protective clothing, particularly impervious gloves, for leaks before use.

SECTION EIGHT – EXPOSURE CONTROLS / PERSONAL PROTECTION

PROTECTIVE EQUIPMENT: Goggles, impervious or chemical resistant gloves, and impervious clothing to prevent skin contact. RESPIRATORY PROTECTION: In well-ventilated areas protection is not normally required Other Protective Equipment: eye wash station and safety shower should be easily accessible

BioSpan Technologies, Inc. 6540 Meyer Drive Washington, Missouri 63090 Tel (636) 583-7974 Fax (636) 583-1773 P.O Box 4222 Ballwin, MO 63022

IlBioSpan

SECTION NINE – PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: 212°F VAPOR DENSITY: LIQUID PERCENT VOLATILE (BY WEIGHT): N / A VAPOR PRESSURE: 0.97 MM @ 20° C SOLUBILITY IN WATER: Soluble SPECIFICA GRAVITY: 0.9550 (H2O = 1.0) AUTO IGNITION TEMPERATURE: N / A pH: 10.0 – 10.5 FLASH POINT: 212°F+ TAG CLOSED CUP LOWER EXPLOSION LIMIT %: NOT KNOWN UPPER EXPLOSION LIMIT %: NOT KNOWN UPPER EXPLOSION LIMIT: NOT KNOWN EXTINGUISHING MEDIA: CARBON DIOXIDE, DRY CHEMICAL OR UNIVERSAL-TYPE FOAM PRODUCTS: Burning of material may release carbon dioxide, carbon monoxide

SECTION TEN - STABILITY AND REACTIVITY

STABILITY: STABLE X UNSTABLE SENSITIVITY TO STATIC DISCHARGE: None REACTION DECOMPOSITION PRODUCTS: None CONDITIONS TO AVOID: Avoid heat, open flame

REACTIVITY WITH WATER: None

HAZARDOUS POLYMERIZATION MAY WILL NOT OCCUR OCCUR X <u>CONDITIONS TO AVOID</u> strong alkalis and oxidizing agents

Conditions to avoid: Excessive temperatures may cause decomposition or oxidation Materials to Avoid: Avoid contact with strong acids, strong bases and oxidizing agents. May react violently with iodine pentaflouroeythylene Decomposition Products: CO2 and water

SECTION ELEVEN - TOXICOLOGICAL INFORMATION

Target organs: Eyes and skin Route of entry: Eye and skin contact. Chronic toxicity: No known chronic indications

SECTION TWELVE - ECOLOGICIAL INFORMATION

Biodegradability: No

Aquatic toxicity: Marine pollutant in excess of 1000 gallons of water. The formulations are immiscible in water. The formulations are known to evaporate quickly and biodegrade and should not cause long-term effects. Bioaccumulation Potential: Not determined. All materials used in formulations are known to be non-accumulating in the environment.

SECTION THIRTEEN - DISPOSAL CONSIDERATIONS

RCRA hazardous waste– Classified as a RCRA hazardous waste— (Flammability characteristics only) Disposal methods: Dispose of this material by either incineration or by a licensed waste disposal company. Contaminated absorbent material may be dispose of in an approved landfill. Follow all local, state and Federal disposal regulations.

SECTION FOURTEEN - TRANSPORT INFORMATION

DOT: Proper shipping name:

Formulated solution containing: Fatty acid esters, Identification Number 144920, UN hazard class N/a< Terpene hydrocarbons, n.o.s., 3, UN

BioSpan Technologies, Inc. 6540 Meyer Drive Washington, Missouri 63090 Tel (636) 583-7974 Fax (636) 583-1773 P.O Box 4222 Ballwin, MO 63022

IIIBioSpan

2319, PGIII, Exemptions: chemicals, n.o.I. (NON-REGULATED)- allowable for shipment in non-bulk containers: IATA: terpene hydrocarbons, n.o.s., UN2319, PGIII

SECTION FIFTEEN - REGULATORY INFORMATION

OSHA: This product is slightly hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910. 1200: However, thermal decomposition fumes from this product may be hazardous under sections 2 and 3.

CERLA-SARA CLASSIFICATION(S):

Ingredients present in products that may require reporting under Section 311-312 of SARA title III as defined in: 40 CFR 372: EXTREMELY HAZARDOUS SUBSTANCES: NONE 40 CFR 372: Fire Hazard Section 313 of SARA title III as defined in 40 CFR 372: Toxic Chemicals: NONE

CLEAN AIR ACT, OZONE DEPLETING SUBSTANCES:

This product does not contain nor was it manufactured with Class I or Class II ozone depleting substances as defined by the Clean Air Act Amendments of 1990.

SECTION SIXTEEN - OTHER INFORMATION

Hazardous ratings (0=minimal, 1=slight, 2=moderate, 3= serious, 4= severe)

PREPARED BY: BioSpan Technologies, Inc. 02/2025